

LIVINGSTON

County Base Map

(Records are Sorted by Township, Range, and Section)

LOG ID:
024492

WELL TYPE
Noncommunity Public Well

| | | | | | | |
|--------------------------------|------------|-----------------|----------------|----------------|-------------------|--------------|
| <u>DRILL DATE:</u> | 1966/11/01 | <u>TOWNSHIP</u> | <u>RANGE</u> | <u>SECTION</u> | <u>ELEVATION:</u> | 671FT |
| <u>DRILL DEPTH:</u> | 165FT | 56N | 21W | 6 | <u>UTM X</u> | <u>UTM Y</u> |
| <u>DEPTH TO BED:</u> | | | | | 473,739.87 | 4,394,587.00 |
| <u>S.W.L. (BEFORE CASING):</u> | | | | | ZONE 15 | |
| <u>S.W.L. (AFTER CASING):</u> | | <u>REMARKS:</u> | FOUNTAIN GROVE | | | |

LOG ID:
000428

WELL TYPE
Private Well

| | | | | | | |
|--------------------------------|-------|-----------------|---|----------------|-------------------|--------------|
| <u>DRILL DATE:</u> | | <u>TOWNSHIP</u> | <u>RANGE</u> | <u>SECTION</u> | <u>ELEVATION:</u> | 833FT |
| <u>DRILL DEPTH:</u> | 700FT | 56N | 22W | 20 | <u>UTM X</u> | <u>UTM Y</u> |
| <u>DEPTH TO BED:</u> | 80FT | | | | 466,842.87 | 4,389,683.79 |
| <u>S.W.L. (BEFORE CASING):</u> | | | | | ZONE 15 | |
| <u>S.W.L. (AFTER CASING):</u> | | <u>REMARKS:</u> | 3 MI E OF ABALON; "NO WATER, NO COAL" DRILLER'S LOG ONLY | | | |

LOG ID:
006311

WELL TYPE
Oil Well

| | | | | | | |
|--------------------------------|------------|-----------------|---|----------------|-------------------|--------------|
| <u>DRILL DATE:</u> | 1940/09/01 | <u>TOWNSHIP</u> | <u>RANGE</u> | <u>SECTION</u> | <u>ELEVATION:</u> | 859FT |
| <u>DRILL DEPTH:</u> | 1,213FT | 56N | 23W | 15 | <u>UTM X</u> | <u>UTM Y</u> |
| <u>DEPTH TO BED:</u> | 84FT | | | | 459,999.87 | 4,390,327.67 |
| <u>S.W.L. (BEFORE CASING):</u> | | | | | ZONE 15 | |
| <u>S.W.L. (AFTER CASING):</u> | | <u>REMARKS:</u> | #1 S.O. LINTON ESTATE; 1.2 MI W OF AVALON | | | |

LOG ID:
014902

WELL TYPE
WATER TEST WELL (HOLE)

| | | | | | | |
|--------------------------------|------------|-----------------|--------------|----------------|-------------------|--------------|
| <u>DRILL DATE:</u> | 1956/08/22 | <u>TOWNSHIP</u> | <u>RANGE</u> | <u>SECTION</u> | <u>ELEVATION:</u> | 775FT |
| <u>DRILL DEPTH:</u> | 50FT | 56N | 24W | 17 | <u>UTM X</u> | <u>UTM Y</u> |
| <u>DEPTH TO BED:</u> | 46FT | | | | 446,956.11 | 4,391,207.35 |
| <u>S.W.L. (BEFORE CASING):</u> | | | | | ZONE 15 | |
| <u>S.W.L. (AFTER CASING):</u> | | <u>REMARKS:</u> | 56-24-17 abc | | | |



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**014888**WELL TYPE

WATER TEST WELL (HOLE)

| | | | | | | |
|--------------------------------|------------|-----------------|--------------|----------------|-------------------|--------------|
| <u>DRILL DATE:</u> | 1956/08/22 | <u>TOWNSHIP</u> | <u>RANGE</u> | <u>SECTION</u> | <u>ELEVATION:</u> | 696FT |
| <u>DRILL DEPTH:</u> | 75FT | 56N | 24W | 18 | <u>UTM X</u> | <u>UTM Y</u> |
| <u>DEPTH TO BED:</u> | 70FT | | | | 444,589.16 | 4,391,163.29 |
| <u>S.W.L. (BEFORE CASING):</u> | | | | | ZONE 15 | |
| <u>S.W.L. (AFTER CASING):</u> | | <u>REMARKS:</u> | 56-24-18 bbc | | | |

LOG ID:**000431**WELL TYPE

Private Well

| | | | | | | |
|--------------------------------|------------|-----------------|---|----------------|-------------------|--------------|
| <u>DRILL DATE:</u> | 1901/00/00 | <u>TOWNSHIP</u> | <u>RANGE</u> | <u>SECTION</u> | <u>ELEVATION:</u> | 788FT |
| <u>DRILL DEPTH:</u> | 445FT | 56N | 24W | 19 | <u>UTM X</u> | <u>UTM Y</u> |
| <u>DEPTH TO BED:</u> | 25FT | | | | 445,201.15 | 4,389,624.30 |
| <u>S.W.L. (BEFORE CASING):</u> | | | | | ZONE 15 | |
| <u>S.W.L. (AFTER CASING):</u> | | <u>REMARKS:</u> | S OF DARM; SALINE WATER ROSE TO 65' DRILLER'S LOG ONLY | | | |

LOG ID:**016059**WELL TYPE

Private Well

| | | | | | | |
|--------------------------------|------------|-----------------|--------------|----------------|-------------------|--------------|
| <u>DRILL DATE:</u> | 1957/00/00 | <u>TOWNSHIP</u> | <u>RANGE</u> | <u>SECTION</u> | <u>ELEVATION:</u> | 837FT |
| <u>DRILL DEPTH:</u> | 75FT | 56N | 24W | 28 | <u>UTM X</u> | <u>UTM Y</u> |
| <u>DEPTH TO BED:</u> | | | | | 449,219.06 | 4,387,956.39 |
| <u>S.W.L. (BEFORE CASING):</u> | | | | | ZONE 15 | |
| <u>S.W.L. (AFTER CASING):</u> | 35 | <u>REMARKS:</u> | FT | | | |

LOG ID:**016853**WELL TYPE

WATER TEST WELL (HOLE)

| | | | | | | |
|--------------------------------|------------|-----------------|--------------|----------------|-------------------|--------------|
| <u>DRILL DATE:</u> | 1957/00/00 | <u>TOWNSHIP</u> | <u>RANGE</u> | <u>SECTION</u> | <u>ELEVATION:</u> | 745FT |
| <u>DRILL DEPTH:</u> | 66FT | 56N | 25W | 10 | <u>UTM X</u> | <u>UTM Y</u> |
| <u>DEPTH TO BED:</u> | | | | | 441,253.24 | 4,391,424.21 |
| <u>S.W.L. (BEFORE CASING):</u> | | | | | ZONE 15 | |
| <u>S.W.L. (AFTER CASING):</u> | | <u>REMARKS:</u> | TEST #2 | | | |



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**017309**WELL TYPE

Noncommunity Public Well

DRILL DATE: 1957/05/10TOWNSHIP RANGE SECTIONELEVATION: 745FTDRILL DEPTH: 76FT

56N 25W 10

DEPTH TO BED: 75FTUTM X UTM Y
441,253.24 4,391,424.21
ZONE 15S.W.L. (BEFORE CASING):REMARKS: DAWN SCHOOLS.W.L. (AFTER CASING):**LOG ID:****014870**WELL TYPE

WATER TEST WELL (HOLE)

DRILL DATE: 1956/08/22TOWNSHIP RANGE SECTIONELEVATION: 701FTDRILL DEPTH: 90FT

56N 25W 11

DEPTH TO BED: 84FTUTM X UTM Y
442,823.20 4,391,461.25
ZONE 15S.W.L. (BEFORE CASING):REMARKS: 56-25-11 ddd - POSSIBLE YIELD - 60-70 GPMS.W.L. (AFTER CASING):**LOG ID:****014903**WELL TYPE

WATER TEST WELL (HOLE)

DRILL DATE: 1956/08/22TOWNSHIP RANGE SECTIONELEVATION: 741FTDRILL DEPTH: 68FT

56N 25W 11

DEPTH TO BED: 65FTUTM X UTM Y
441,423.24 4,391,461.21
ZONE 15S.W.L. (BEFORE CASING):REMARKS: 56-25-11 ccc - POSSIBLE YIELD - 25-50 GPMS.W.L. (AFTER CASING):**LOG ID:****014895**WELL TYPE

WATER TEST WELL (HOLE)

DRILL DATE: 1956/08/23TOWNSHIP RANGE SECTIONELEVATION: 798FTDRILL DEPTH: 25FT

56N 25W 16

DEPTH TO BED: 20FTUTM X UTM Y
438,254.31 4,391,232.13
ZONE 15S.W.L. (BEFORE CASING):REMARKS: 56-25-16 bbbS.W.L. (AFTER CASING):

Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:
000424

WELL TYPE
Private Well

| | | | | | | |
|--------------------------------|-------|-----------------|----------------------|----------------|-------------------|--------------|
| <u>DRILL DATE:</u> | | <u>TOWNSHIP</u> | <u>RANGE</u> | <u>SECTION</u> | <u>ELEVATION:</u> | 708FT |
| | | 56N | 25W | 2 | | |
| <u>DRILL DEPTH:</u> | 430FT | | | | <u>UTM X</u> | <u>UTM Y</u> |
| <u>DEPTH TO BED:</u> | 360FT | | | | 441,391.23 | 4,393,068.22 |
| | | | | | ZONE 15 | |
| <u>S.W.L. (BEFORE CASING):</u> | | <u>REMARKS:</u> | SALINE WATYER @ 361' | | | |
| <u>S.W.L. (AFTER CASING):</u> | | | DRILLER'S LOG ONLY | | | |

LOG ID:
014889

WELL TYPE
WATER TEST WELL (HOLE)

| | | | | | | |
|--------------------------------|------------|-----------------|--------------|----------------|-------------------|--------------|
| <u>DRILL DATE:</u> | 1956/08/23 | <u>TOWNSHIP</u> | <u>RANGE</u> | <u>SECTION</u> | <u>ELEVATION:</u> | 760FT |
| | | 56N | 25W | 2 | | |
| <u>DRILL DEPTH:</u> | 70FT | | | | <u>UTM X</u> | <u>UTM Y</u> |
| <u>DEPTH TO BED:</u> | 69FT | | | | 442,791.20 | 4,394,426.26 |
| | | | | | ZONE 15 | |
| <u>S.W.L. (BEFORE CASING):</u> | | <u>REMARKS:</u> | 56-25-2 aaa | | | |
| <u>S.W.L. (AFTER CASING):</u> | | | | | | |

LOG ID:
014925

WELL TYPE
WATER TEST WELL (HOLE)

| | | | | | | |
|--------------------------------|------------|-----------------|--------------|----------------|-------------------|--------------|
| <u>DRILL DATE:</u> | 1956/08/23 | <u>TOWNSHIP</u> | <u>RANGE</u> | <u>SECTION</u> | <u>ELEVATION:</u> | 738FT |
| | | 56N | 25W | 22 | | |
| <u>DRILL DEPTH:</u> | 108FT | | | | <u>UTM X</u> | <u>UTM Y</u> |
| <u>DEPTH TO BED:</u> | 104FT | | | | 440,039.27 | 4,389,598.17 |
| | | | | | ZONE 15 | |
| <u>S.W.L. (BEFORE CASING):</u> | | <u>REMARKS:</u> | 56-25-22 bba | | | |
| <u>S.W.L. (AFTER CASING):</u> | | | | | | |

LOG ID:
000426

WELL TYPE
Private Well

| | | | | | | |
|--------------------------------|-------|-----------------|--|----------------|-------------------|--------------|
| <u>DRILL DATE:</u> | | <u>TOWNSHIP</u> | <u>RANGE</u> | <u>SECTION</u> | <u>ELEVATION:</u> | 719FT |
| | | 56N | 25W | 34 | | |
| <u>DRILL DEPTH:</u> | 180FT | | | | <u>UTM X</u> | <u>UTM Y</u> |
| <u>DEPTH TO BED:</u> | | | | | 440,712.27 | 4,385,249.16 |
| | | | | | ZONE 15 | |
| <u>S.W.L. (BEFORE CASING):</u> | | <u>REMARKS:</u> | 1 MI N OF PLYMOUTH ON CARROLL-LIVINGSTON CO LINE; SALINE | | | |
| <u>S.W.L. (AFTER CASING):</u> | | | WATER @ 180' | | | |



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**014907**WELL TYPE

WATER TEST WELL (HOLE)

DRILL DATE: 1956/08/23 TOWNSHIP 56N RANGE 25W SECTION 9 ELEVATION: 762FT
DRILL DEPTH: 57FT UTM X 439,661.28 UTM Y 4,391,442.17
DEPTH TO BED: 55FT ZONE 15
S.W.L. (BEFORE CASING): REMARKS: 56-25-9 ddd - POSSIBLE YIELD - 10-15 GPM
S.W.L. (AFTER CASING):

LOG ID:**014885**WELL TYPE

WATER TEST WELL (HOLE)

DRILL DATE: 1956/08/28 TOWNSHIP 57N RANGE 22W SECTION 21 ELEVATION: 669FT
DRILL DEPTH: 114FT UTM X 467,248.88 UTM Y 4,399,657.92
DEPTH TO BED: 112FT ZONE 15
S.W.L. (BEFORE CASING): REMARKS: 57-22-21 bbb
S.W.L. (AFTER CASING):

LOG ID:**014897**WELL TYPE

WATER TEST WELL (HOLE)

DRILL DATE: 1956/08/27 TOWNSHIP 57N RANGE 22W SECTION 33 ELEVATION: 668FT
DRILL DEPTH: 46FT UTM X 467,810.88 UTM Y 4,396,317.89
DEPTH TO BED: 43FT ZONE 15
S.W.L. (BEFORE CASING): REMARKS: 57-22-33 baa - POSSIBLE YIELD - 25-50 GPM
S.W.L. (AFTER CASING):

LOG ID:**014956**WELL TYPE

WATER TEST WELL (HOLE)

DRILL DATE: 1956/08/28 TOWNSHIP 57N RANGE 22W SECTION 4 ELEVATION: 722FT
DRILL DEPTH: 142FT UTM X 467,311.87 UTM Y 4,403,189.95
DEPTH TO BED: 138FT ZONE 15
S.W.L. (BEFORE CASING): REMARKS: 57-22-4 ccc
S.W.L. (AFTER CASING):



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**014924**WELL TYPE

WATER TEST WELL (HOLE)

DRILL DATE: 1956/08/27TOWNSHIPRANGESECTIONELEVATION:

727FT

DRILL DEPTH: 141FT

57N

22W

9

DEPTH TO BED: 135FTUTM XUTM Y

468,683.88

4,401,483.97

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: 57-22-9 ddd - POSSIBLE YIELD - 20-25 GPMS.W.L. (AFTER CASING):**LOG ID:****020292**WELL TYPE

Oil Well

DRILL DATE: 1960/12/06TOWNSHIPRANGESECTIONELEVATION:

716FT

DRILL DEPTH: 660FT

57N

23W

11

DEPTH TO BED: 132FTUTM XUTM Y

460,475.88

4,402,139.78

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: PLUGGED W/ 6 SX @ 340', 14 SX @ 150'; STRAT TEST, OIL & GAS;
3 CORESS.W.L. (AFTER CASING):**LOG ID:****014923**WELL TYPE

WATER TEST WELL (HOLE)

DRILL DATE: 1956/08/24TOWNSHIPRANGESECTIONELEVATION:

695FT

DRILL DEPTH: 117FT

57N

23W

15

DEPTH TO BED: 116FTUTM XUTM Y

458,855.89

4,399,829.72

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: 57-23-15 ccc - POSSIBLE YIELD - 50-60 GPMS.W.L. (AFTER CASING):**LOG ID:****014927**WELL TYPE

WATER TEST WELL (HOLE)

DRILL DATE: 1956/08/24TOWNSHIPRANGESECTIONELEVATION:

716FT

DRILL DEPTH: 141FT

57N

23W

15

DEPTH TO BED: 138FTUTM XUTM Y

459,655.89

4,401,313.75

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: POSSIBLE YIELD - 10-15 GPMS.W.L. (AFTER CASING):



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**014930**WELL TYPE

WATER TEST WELL (HOLE)

DRILL DATE: 1956/08/24 TOWNSHIP 57N RANGE 23W SECTION 3 ELEVATION: 726FT
DRILL DEPTH: 135FT UTM X 460,228.88 UTM Y 4,403,127.78
DEPTH TO BED: 131FT ZONE 15
S.W.L. (BEFORE CASING): REMARKS: 57-23-3 ddd - POSSIBLE YIELD 10-15 GPM
S.W.L. (AFTER CASING):

LOG ID:**022989**WELL TYPE

Oil Well

DRILL DATE: TOWNSHIP 57N RANGE 23W SECTION 3 ELEVATION: 755FT
DRILL DEPTH: 811FT UTM X 459,328.88 UTM Y 4,403,438.76
DEPTH TO BED: 165FT ZONE 15
S.W.L. (BEFORE CASING): REMARKS: #1 KEHR; (FRANKS, A.R.)
S.W.L. (AFTER CASING):

LOG ID:**028429**WELL TYPE

Oil Well

DRILL DATE: TOWNSHIP 57N RANGE 23W SECTION 3 ELEVATION: 758FT
DRILL DEPTH: 740FT UTM X 459,528.88 UTM Y 4,403,853.77
DEPTH TO BED: 110FT ZONE 15
S.W.L. (BEFORE CASING): REMARKS: #1 T. VANLANDINGHAM - OIL TEST
S.W.L. (AFTER CASING):

LOG ID:**001498**WELL TYPE

Private Well

DRILL DATE: 1901/03/00 TOWNSHIP 57N RANGE 23W SECTION 31 ELEVATION: 721FT
DRILL DEPTH: 275FT UTM X 454,103.95 UTM Y 4,395,476.57
DEPTH TO BED: 270FT ZONE 15
S.W.L. (BEFORE CASING): REMARKS: SULPHO-SALINE WATER, DID NOT FLOW; 5 MI S OF CHILLICOTHE
S.W.L. (AFTER CASING): DRILLER'S LOG ONLY



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**000486**WELL TYPE

Private Well

DRILL DATE: 1901/00/00TOWNSHIP RANGE SECTIONELEVATION: 774FTDRILL DEPTH: 400FT

57N 23W 34

DEPTH TO BED: 350FTUTM X UTM Y
458,841.88 4,395,183.68
ZONE 15S.W.L. (BEFORE CASING):REMARKS: "NO WATER"
DRILLER'S LOG ONLYS.W.L. (AFTER CASING):**LOG ID:****014884**WELL TYPE

WATER TEST WELL (HOLE)

DRILL DATE: 1956/08/21TOWNSHIP RANGE SECTIONELEVATION: 755FTDRILL DEPTH: 160FT

57N 23W 5

DEPTH TO BED: 155FTUTM X UTM Y
455,571.91 4,403,907.67
ZONE 15S.W.L. (BEFORE CASING):REMARKS: 57-23-5 bcc - POSSIBLE YIELD - 10-30 GPMS.W.L. (AFTER CASING):**LOG ID:****0A-247**WELL TYPE

Exploratory Hole (Mineral Prospect)

DRILL DATE:TOWNSHIP RANGE SECTIONELEVATION: 745FTDRILL DEPTH: 298FT

57N 23W 6

DEPTH TO BED: 135FTUTM X UTM Y
454,609.93 4,403,786.64
ZONE 15S.W.L. (BEFORE CASING):REMARKS: NO UNITS IDENTIFIEDS.W.L. (AFTER CASING):**LOG ID:****014898**WELL TYPE

WATER TEST WELL (HOLE)

DRILL DATE: 1956/08/21TOWNSHIP RANGE SECTIONELEVATION: 714FTDRILL DEPTH: 140FT

57N 23W 7

DEPTH TO BED: 136FTUTM X UTM Y
453,930.95 4,402,890.62
ZONE 15S.W.L. (BEFORE CASING):REMARKS: 57-23-7 bbbS.W.L. (AFTER CASING):

Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:
007083

WELL TYPE
Private Well

DRILL DATE: 1941/00/00

TOWNSHIP RANGE SECTION

ELEVATION: 744FT

DRILL DEPTH: 180FT

57N 24W 12

DEPTH TO BED:

UTM X UTM Y
453,274.96 4,402,851.60
ZONE 15

S.W.L. (BEFORE CASING):

REMARKS: NO PRODUCTION OR CONSTRUCTION DATA

S.W.L. (AFTER CASING):

LOG ID:
014883

WELL TYPE
WATER TEST WELL (HOLE)

DRILL DATE: 1956/08/21

TOWNSHIP RANGE SECTION

ELEVATION: 681FT

DRILL DEPTH: 115FT

57N 24W 12

DEPTH TO BED: 105FT

UTM X UTM Y
452,474.98 4,402,219.57
ZONE 15

S.W.L. (BEFORE CASING):

REMARKS: FLOWED

S.W.L. (AFTER CASING):

LOG ID:
014914

WELL TYPE
WATER TEST WELL (HOLE)

DRILL DATE: 1956/08/22

TOWNSHIP RANGE SECTION

ELEVATION: 689FT

DRILL DEPTH: 50FT

57N 24W 15

DEPTH TO BED: 42FT

UTM X UTM Y
449,972.04 4,399,890.49
ZONE 15

S.W.L. (BEFORE CASING):

REMARKS: 57-24-15 dcb

S.W.L. (AFTER CASING):

LOG ID:
001644

WELL TYPE
Community Public Well

DRILL DATE: 1911/00/00

TOWNSHIP RANGE SECTION

ELEVATION: 742FT

DRILL DEPTH: 1,205FT

57N 24W 2

DEPTH TO BED: 140FT

UTM X UTM Y
452,063.98 4,404,002.58
ZONE 15

S.W.L. (BEFORE CASING): FT

REMARKS: @CITY LIGHT PLANT IN SE CORNER OF TOWN

S.W.L. (AFTER CASING): 20

Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:
022040

WELL TYPE
Private Well

DRILL DATE: 1963/07/26

TOWNSHIP RANGE SECTION

ELEVATION: 692FT

DRILL DEPTH: 40FT

57N

24W

2

UTM X

UTM Y

DEPTH TO BED:

450,764.00 4,403,512.54
ZONE 15

S.W.L. (BEFORE CASING):

REMARKS: NO PRODUCTION OR CONSTRUCTION DATA

S.W.L. (AFTER CASING):

LOG ID:
001497

WELL TYPE
Private Well

DRILL DATE: 1901/00/00

TOWNSHIP RANGE SECTION

ELEVATION: 741FT

DRILL DEPTH: 335FT

57N

24W

26

UTM X

UTM Y

DEPTH TO BED: 149FT

452,270.99 4,396,870.53
ZONE 15

S.W.L. (BEFORE CASING): FT

REMARKS: 4 MI S OF CHILLICOTHE
DRILLER'S LOG ONLY

S.W.L. (AFTER CASING): 22

LOG ID:
014931

WELL TYPE
WATER TEST WELL (HOLE)

DRILL DATE: 1956/08/23

TOWNSHIP RANGE SECTION

ELEVATION: 690FT

DRILL DEPTH: 60FT

57N

24W

32

UTM X

UTM Y

DEPTH TO BED: 54FT

445,934.13 4,394,735.35
ZONE 15

S.W.L. (BEFORE CASING):

REMARKS: 57-24-32 ccc - IN CREEK VALLEY

S.W.L. (AFTER CASING):

LOG ID:
014913

WELL TYPE
WATER TEST WELL (HOLE)

DRILL DATE: 1956/08/20

TOWNSHIP RANGE SECTION

ELEVATION: 695FT

DRILL DEPTH: 110FT

57N

25W

12

UTM X

UTM Y

DEPTH TO BED:

443,612.15 4,402,146.34
ZONE 15

S.W.L. (BEFORE CASING):

REMARKS: 57-25-12 bda

S.W.L. (AFTER CASING):



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**014893**WELL TYPE

WATER TEST WELL (HOLE)

DRILL DATE: 1956/08/23 TOWNSHIP 57N RANGE 25W SECTION 36 ELEVATION: 736FT
DRILL DEPTH: 17FT UTM X 444,442.16 UTM Y 4,394,851.31
DEPTH TO BED: 15FT ZONE 15
S.W.L. (BEFORE CASING): REMARKS: 57-24-31 ccd
S.W.L. (AFTER CASING):

LOG ID:**007084**WELL TYPE

Private Well

DRILL DATE: 1941/00/00 TOWNSHIP 58N RANGE 22W SECTION 20 ELEVATION: 793FT
DRILL DEPTH: 183FT UTM X 466,283.85 UTM Y 4,409,419.96
DEPTH TO BED: ZONE 15
S.W.L. (BEFORE CASING): REMARKS: NO SAMPLES LOGGED BELOW 52'
S.W.L. (AFTER CASING):

LOG ID:**013648**WELL TYPE

Private Well

DRILL DATE: 1955/07/15 TOWNSHIP 58N RANGE 22W SECTION 20 ELEVATION: 778FT
DRILL DEPTH: UTM X 467,083.85 UTM Y 4,409,313.98
DEPTH TO BED: ZONE 15
S.W.L. (BEFORE CASING): REMARKS: OLD WELL DEEPEMED - SEE COMPLETE LOG ON #13718
S.W.L. (AFTER CASING):

LOG ID:**013718**WELL TYPE

Private Well

DRILL DATE: 1955/07/15 TOWNSHIP 58N RANGE 22W SECTION 20 ELEVATION: 784FT
DRILL DEPTH: 475FT UTM X 467,083.85 UTM Y 4,409,313.98
DEPTH TO BED: 115FT ZONE 15
S.W.L. (BEFORE CASING): 145 FT REMARKS: OLD WELL (#13648) DEEPEMED 355-475'; 3.5 MI N OF WHEELING
S.W.L. (AFTER CASING): 341 FT ON HWY M

Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:
000430

WELL TYPE
Private Well

DRILL DATE: TOWNSHIP RANGE SECTION ELEVATION: 784FT
58N 22W 21
DRILL DEPTH: 275FT
DEPTH TO BED: 107FT UTM X UTM Y
467,351.86 4,408,469.98
ZONE 15
S.W.L. (BEFORE CASING): REMARKS: SALINE WATER @ 250' ROSE TO 60'
S.W.L. (AFTER CASING):

LOG ID:
014966

WELL TYPE
WATER TEST WELL (HOLE)

DRILL DATE: 1956/08/28 TOWNSHIP RANGE SECTION ELEVATION: 738FT
58N 22W 28
DRILL DEPTH: 148FT
DEPTH TO BED: 145FT UTM X UTM Y
468,734.86 4,407,908.01
ZONE 15
S.W.L. (BEFORE CASING): REMARKS: 58-22-28 aaa
S.W.L. (AFTER CASING):

LOG ID:
014912

WELL TYPE
WATER TEST WELL (HOLE)

DRILL DATE: 1956/08/28 TOWNSHIP RANGE SECTION ELEVATION: 736FT
58N 22W 29
DRILL DEPTH: 51FT
DEPTH TO BED: 49FT UTM X UTM Y
465,668.86 4,406,428.93
ZONE 15
S.W.L. (BEFORE CASING): REMARKS: 58-22-29 ddd
S.W.L. (AFTER CASING):

LOG ID:
014871

WELL TYPE
WATER TEST WELL (HOLE)

DRILL DATE: 1956/08/15 TOWNSHIP RANGE SECTION ELEVATION: 783FT
58N 22W 4
DRILL DEPTH: 157FT
DEPTH TO BED: 153FT UTM X UTM Y
467,389.84 4,412,908.01
ZONE 15
S.W.L. (BEFORE CASING): REMARKS: 58-22-4 ccc
S.W.L. (AFTER CASING):



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**014933**WELL TYPE

WATER TEST WELL (HOLE)

DRILL DATE: 1956/08/15TOWNSHIPRANGESECTIONELEVATION:

754FT

DRILL DEPTH: 125FT

58N

22W

4

DEPTH TO BED: 124FTUTM XUTM Y

467,389.84

4,412,908.01

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: 58-22-4 ddd - POSSIBLE YIELD - 20-35 GPMS.W.L. (AFTER CASING):**LOG ID:****014915**WELL TYPE

WATER TEST WELL (HOLE)

DRILL DATE: 1956/08/15TOWNSHIPRANGESECTIONELEVATION:

711FT

DRILL DEPTH: 57FT

58N

22W

6

DEPTH TO BED: 55FTUTM XUTM Y

465,286.84

4,412,894.96

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: 58-22-7 aaa - POSSIBLE YIELD OF 25-50 GPMS.W.L. (AFTER CASING):**LOG ID:****014901**WELL TYPE

WATER TEST WELL (HOLE)

DRILL DATE: 1956/08/16TOWNSHIPRANGESECTIONELEVATION:

759FT

DRILL DEPTH: 43FT

58N

23W

15

DEPTH TO BED: 39FTUTM XUTM Y

458,776.86

4,410,434.80

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: 58-23-15 bccS.W.L. (AFTER CASING):**LOG ID:****014886**WELL TYPE

WATER TEST WELL (HOLE)

DRILL DATE: 1956/08/16TOWNSHIPRANGESECTIONELEVATION:

813FT

DRILL DEPTH: 73FT

58N

23W

17

DEPTH TO BED: 63FTUTM XUTM Y

455,539.89

4,410,997.73

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: 58-23-17 bbbS.W.L. (AFTER CASING):

Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:
020291

WELL TYPE
Oil Well

DRILL DATE: 1960/12/02

TOWNSHIP RANGE SECTION

ELEVATION: 845FT

DRILL DEPTH: 1,070FT

58N 23W 18

DEPTH TO BED: 85FT

UTM X UTM Y
454,083.91 4,410,157.69
ZONE 15

S.W.L. (BEFORE CASING):

REMARKS: #1 COX; STRAT TEST, PLUGGED

S.W.L. (AFTER CASING):

LOG ID:
001501

WELL TYPE
Private Well

DRILL DATE:

TOWNSHIP RANGE SECTION

ELEVATION: 840FT

DRILL DEPTH: 480FT

58N 23W 19

DEPTH TO BED: 350FT

UTM X UTM Y
455,292.90 4,409,181.71
ZONE 15

S.W.L. (BEFORE CASING):

REMARKS: SULPHO-SALINE WATER
DRILLER'S LOG ONLY

S.W.L. (AFTER CASING):

LOG ID:
005658

WELL TYPE
Oil Well

DRILL DATE: 1939/10/01

TOWNSHIP RANGE SECTION

ELEVATION: 829FT

DRILL DEPTH: 1,225FT

58N 23W 22

DEPTH TO BED: 30FT

UTM X UTM Y
459,387.86 4,408,815.80
ZONE 15

S.W.L. (BEFORE CASING):

REMARKS: #1 JERRY MINNING; 4 MI NE OF CHILLICOTHE - DRY &
ABANDONED

S.W.L. (AFTER CASING):

LOG ID:
001654

WELL TYPE
Private Well

DRILL DATE: 1939/06/00

TOWNSHIP RANGE SECTION

ELEVATION: 814FT

DRILL DEPTH: 515FT

58N 23W 23

DEPTH TO BED:

UTM X UTM Y
460,420.86 4,408,413.82
ZONE 15

S.W.L. (BEFORE CASING):

REMARKS: ABANDONED WATER WELL - NO UNITS LOGGED
DRILLER'S LOG ONLY

S.W.L. (AFTER CASING):

Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**014919**WELL TYPE

WATER TEST WELL (HOLE)

DRILL DATE: 1956/08/27TOWNSHIP RANGE SECTION

58N

23W

26

ELEVATION: 720FTDRILL DEPTH: 21FTUTM XUTM YDEPTH TO BED: 15FT

461,833.87

4,406,385.84

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: 58-23-26 dddS.W.L. (AFTER CASING):**LOG ID:****000246**WELL TYPE

Oil Well

DRILL DATE: 1907/00/00TOWNSHIP RANGE SECTION

58N

23W

28

ELEVATION: 794FTDRILL DEPTH: 1,100FTUTM XUTM YDEPTH TO BED: 55FT

457,170.87

4,407,797.74

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS: #1 C.E. ADAMS; DRILLED "PRIOR TO 1907"S.W.L. (AFTER CASING): 70**LOG ID:****020284**WELL TYPE

Oil Well

DRILL DATE: 1960/11/14TOWNSHIP RANGE SECTION

58N

23W

28

ELEVATION: 805FTDRILL DEPTH: 1,028FTUTM XUTM YDEPTH TO BED: 35FT

457,170.87

4,407,797.74

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: #1 BAUER; PLUGGEDS.W.L. (AFTER CASING):**LOG ID:****015333**WELL TYPE

Private Well

DRILL DATE: 1956/07/25TOWNSHIP RANGE SECTION

58N

23W

29

ELEVATION: 822FTDRILL DEPTH: 380FTUTM XUTM YDEPTH TO BED: 50FT

455,954.89

4,407,760.71

ZONE 15

S.W.L. (BEFORE CASING):REMARKS:S.W.L. (AFTER CASING):



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**020289**WELL TYPE

Oil Well

DRILL DATE: 1960/11/02TOWNSHIP RANGE SECTION

58N

23W

29

ELEVATION: 824FTDRILL DEPTH: 1,210FTUTM XUTM YDEPTH TO BED: 75FT

456,954.88

4,407,146.73

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: #1 GILLESPIE; PLUGGEDS.W.L. (AFTER CASING):**LOG ID:****022988**WELL TYPE

Oil Well

DRILL DATE: 1964/08/23TOWNSHIP RANGE SECTION

58N

23W

29

ELEVATION: 824FTDRILL DEPTH: 1,084FTUTM XUTM YDEPTH TO BED: 300FT

456,754.88

4,407,146.73

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: #1 GILLESPIE; PLUGGED & ABANDONEDS.W.L. (AFTER CASING):**LOG ID:****014932**WELL TYPE

WATER TEST WELL (HOLE)

DRILL DATE: 1956/08/21TOWNSHIP RANGE SECTION

58N

23W

32

ELEVATION: 783FTDRILL DEPTH: 187FTUTM XUTM YDEPTH TO BED: 185FT

456,960.88

4,405,528.72

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: 58-23-32 add - FLOWED @185'S.W.L. (AFTER CASING):**LOG ID:****014920**WELL TYPE

WATER TEST WELL (HOLE)

DRILL DATE: 1956/08/27TOWNSHIP RANGE SECTION

58N

23W

36

ELEVATION: 705FTDRILL DEPTH: 72FTUTM XUTM YDEPTH TO BED: 65FT

462,086.87

4,404,795.83

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: 58-23-36 ccc - POSSIBLE YIELD - 15-20 GPMS.W.L. (AFTER CASING):



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**000449**WELL TYPE

Private Well

DRILL DATE:TOWNSHIPRANGESECTIONELEVATION:

825FT

DRILL DEPTH:

223FT

58N

23W

8

UTM XUTM YDEPTH TO BED:

456,824.86

4,412,304.77

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: SALINE WATER ROSE TO 75'; NO SAMPLES LOGGEDS.W.L. (AFTER CASING):**LOG ID:****014896**WELL TYPE

WATER TEST WELL (HOLE)

DRILL DATE:

1956/08/16

TOWNSHIPRANGESECTIONELEVATION:

814FT

DRILL DEPTH:

38FT

58N

23W

8

UTM XUTM YDEPTH TO BED:

28FT

456,924.86

4,411,188.77

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: 58-23-8 dddS.W.L. (AFTER CASING):**LOG ID:****000429**WELL TYPE

Private Well

DRILL DATE:TOWNSHIPRANGESECTIONELEVATION:

841FT

DRILL DEPTH:

335FT

58N

24W

1

UTM XUTM YDEPTH TO BED:

57FT

452,395.92

4,413,341.68

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: 6 MI N OF CHILLICOTHE; NO WATER
DRILLER'S LOG ONLYS.W.L. (AFTER CASING):**LOG ID:****014887**WELL TYPE

WATER TEST WELL (HOLE)

DRILL DATE:

1956/08/16

TOWNSHIPRANGESECTIONELEVATION:

784FT

DRILL DEPTH:

70FT

58N

24W

13

UTM XUTM YDEPTH TO BED:

68FT

452,220.93

4,410,934.65

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: 58-24-13 bbbS.W.L. (AFTER CASING):



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**014890**WELL TYPE

WATER TEST WELL (HOLE)

| | | | | | | |
|--------------------------------|------------|-----------------|--------------|----------------|-------------------|--------------|
| <u>DRILL DATE:</u> | 1956/08/16 | <u>TOWNSHIP</u> | <u>RANGE</u> | <u>SECTION</u> | <u>ELEVATION:</u> | 850FT |
| <u>DRILL DEPTH:</u> | 45FT | 58N | 24W | 13 | <u>UTM X</u> | <u>UTM Y</u> |
| <u>DEPTH TO BED:</u> | 41FT | | | | 453,620.91 | 4,410,934.68 |
| | | | | | ZONE 15 | |
| <u>S.W.L. (BEFORE CASING):</u> | | <u>REMARKS:</u> | 58-24-13 aaa | | | |
| <u>S.W.L. (AFTER CASING):</u> | | | | | | |

LOG ID:**014908**WELL TYPE

WATER TEST WELL (HOLE)

| | | | | | | |
|--------------------------------|------------|-----------------|---|----------------|-------------------|--------------|
| <u>DRILL DATE:</u> | 1956/08/20 | <u>TOWNSHIP</u> | <u>RANGE</u> | <u>SECTION</u> | <u>ELEVATION:</u> | 698FT |
| <u>DRILL DEPTH:</u> | 47FT | 58N | 24W | 21 | <u>UTM X</u> | <u>UTM Y</u> |
| <u>DEPTH TO BED:</u> | | | | | 447,455.02 | 4,408,990.51 |
| | | | | | ZONE 15 | |
| <u>S.W.L. (BEFORE CASING):</u> | | <u>REMARKS:</u> | 58-24-21 bbc - POSSIBLE YIELD 10-15 GPM | | | |
| <u>S.W.L. (AFTER CASING):</u> | | | | | | |

LOG ID:**000432**WELL TYPE

Industrial High Capacity Well

| | | | | | | |
|--------------------------------|-------|-----------------|--------------------|----------------|-------------------|--------------|
| <u>DRILL DATE:</u> | | <u>TOWNSHIP</u> | <u>RANGE</u> | <u>SECTION</u> | <u>ELEVATION:</u> | 780FT |
| <u>DRILL DEPTH:</u> | 179FT | 58N | 24W | 36 | <u>UTM X</u> | <u>UTM Y</u> |
| <u>DEPTH TO BED:</u> | 75FT | | | | 452,350.97 | 4,404,749.59 |
| | | | | | ZONE 15 | |
| <u>S.W.L. (BEFORE CASING):</u> | | <u>REMARKS:</u> | IN CHILLICOTHE | | | |
| <u>S.W.L. (AFTER CASING):</u> | | | DRILLER'S LOG ONLY | | | |

LOG ID:**000427**WELL TYPE

Private Well

| | | | | | | |
|--------------------------------|-------|-----------------|-----------------------------------|----------------|-------------------|--------------|
| <u>DRILL DATE:</u> | | <u>TOWNSHIP</u> | <u>RANGE</u> | <u>SECTION</u> | <u>ELEVATION:</u> | 860FT |
| <u>DRILL DEPTH:</u> | 414FT | 58N | 24W | 7 | <u>UTM X</u> | <u>UTM Y</u> |
| <u>DEPTH TO BED:</u> | | | | | 445,244.03 | 4,411,716.49 |
| | | | | | ZONE 15 | |
| <u>S.W.L. (BEFORE CASING):</u> | FT | <u>REMARKS:</u> | "SULPHO-SALNE", NO SAMPLES LOGGED | | | |
| <u>S.W.L. (AFTER CASING):</u> | 70 | | DRILLER'S LOG ONLY | | | |

Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**014926**WELL TYPE

WATER TEST WELL (HOLE)

DRILL DATE: 1956/08/17TOWNSHIP RANGE SECTION

58N

25W

20

ELEVATION: 707FTDRILL DEPTH: 116FTUTM X UTM YDEPTH TO BED: 112FT437,894.19 4,407,766.26
ZONE 15S.W.L. (BEFORE CASING):REMARKS: 58-25-20 dddS.W.L. (AFTER CASING):**LOG ID:****014899**WELL TYPE

WATER TEST WELL (HOLE)

DRILL DATE: 1956/08/20TOWNSHIP RANGE SECTION

58N

25W

21

ELEVATION: 708FTDRILL DEPTH: 115FTUTM X UTM YDEPTH TO BED: 113FT439,515.16 4,407,734.30
ZONE 15S.W.L. (BEFORE CASING):REMARKS: 58-25-21 dddS.W.L. (AFTER CASING):**LOG ID:****016012**WELL TYPE

Private Well

DRILL DATE: 1957/03/11TOWNSHIP RANGE SECTION

58N

25W

21

ELEVATION: 757FTDRILL DEPTH: 83FTUTM X UTM YDEPTH TO BED:439,515.15 4,408,554.31
ZONE 15S.W.L. (BEFORE CASING): FTREMARKS:S.W.L. (AFTER CASING): 69**LOG ID:****014892**WELL TYPE

WATER TEST WELL (HOLE)

DRILL DATE: 1956/08/20TOWNSHIP RANGE SECTION

58N

25W

24

ELEVATION: 737FTDRILL DEPTH: 41FTUTM X UTM YDEPTH TO BED: 37FT444,442.07 4,408,491.43
ZONE 15S.W.L. (BEFORE CASING):REMARKS: 58-24-19 bdc - NARROW 0.75 X 1 MI SECTIONS.W.L. (AFTER CASING):



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**014894**WELL TYPE

WATER TEST WELL (HOLE)

| | | | | | | |
|--------------------------------|------------|-----------------|--------------|----------------|-------------------|--------------|
| <u>DRILL DATE:</u> | 1956/08/20 | <u>TOWNSHIP</u> | <u>RANGE</u> | <u>SECTION</u> | <u>ELEVATION:</u> | 822FT |
| <u>DRILL DEPTH:</u> | 60FT | 58N | 25W | 26 | <u>UTM X</u> | <u>UTM Y</u> |
| <u>DEPTH TO BED:</u> | 58FT | | | | 442,766.11 | 4,407,525.38 |
| | | | | | ZONE 15 | |
| <u>S.W.L. (BEFORE CASING):</u> | | <u>REMARKS:</u> | 58-25-26 aaa | | | |
| <u>S.W.L. (AFTER CASING):</u> | | | | | | |

LOG ID:**014878**WELL TYPE

WATER TEST WELL (HOLE)

| | | | | | | |
|--------------------------------|------------|-----------------|--------------|----------------|-------------------|--------------|
| <u>DRILL DATE:</u> | 1956/08/13 | <u>TOWNSHIP</u> | <u>RANGE</u> | <u>SECTION</u> | <u>ELEVATION:</u> | 773FT |
| <u>DRILL DEPTH:</u> | 118FT | 59N | 22W | 17 | <u>UTM X</u> | <u>UTM Y</u> |
| <u>DEPTH TO BED:</u> | 116FT | | | | 467,395.81 | 4,420,848.06 |
| | | | | | ZONE 15 | |
| <u>S.W.L. (BEFORE CASING):</u> | | <u>REMARKS:</u> | 59-22-17 aaa | | | |
| <u>S.W.L. (AFTER CASING):</u> | | | | | | |

LOG ID:**014938**WELL TYPE

WATER TEST WELL (HOLE)

| | | | | | | |
|--------------------------------|------------|-----------------|--------------|----------------|-------------------|--------------|
| <u>DRILL DATE:</u> | 1956/08/14 | <u>TOWNSHIP</u> | <u>RANGE</u> | <u>SECTION</u> | <u>ELEVATION:</u> | 799FT |
| <u>DRILL DEPTH:</u> | 187FT | 59N | 22W | 18 | <u>UTM X</u> | <u>UTM Y</u> |
| <u>DEPTH TO BED:</u> | 183FT | | | | 464,023.82 | 4,419,519.98 |
| | | | | | ZONE 15 | |
| <u>S.W.L. (BEFORE CASING):</u> | | <u>REMARKS:</u> | 59-22-19 bbb | | | |
| <u>S.W.L. (AFTER CASING):</u> | | | | | | |

LOG ID:**014952**WELL TYPE

WATER TEST WELL (HOLE)

| | | | | | | |
|--------------------------------|------------|-----------------|----------------------------|----------------|-------------------|--------------|
| <u>DRILL DATE:</u> | 1956/08/29 | <u>TOWNSHIP</u> | <u>RANGE</u> | <u>SECTION</u> | <u>ELEVATION:</u> | 816FT |
| <u>DRILL DEPTH:</u> | 220FT | 59N | 22W | 19 | <u>UTM X</u> | <u>UTM Y</u> |
| <u>DEPTH TO BED:</u> | 205FT | | | | 464,024.83 | 4,417,899.97 |
| | | | | | ZONE 15 | |
| <u>S.W.L. (BEFORE CASING):</u> | | <u>REMARKS:</u> | POSSIBLE YIELD - 15-20 GPM | | | |
| <u>S.W.L. (AFTER CASING):</u> | | | | | | |



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**014961**WELL TYPE

WATER TEST WELL (HOLE)

DRILL DATE: 1956/08/29TOWNSHIPRANGESECTIONELEVATION:

751FT

DRILL DEPTH: 164FT

59N

22W

31

DEPTH TO BED: 160FTUTM XUTM Y

465,424.83

4,415,875.99

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: 59-22-30 ddd - POSSIBLE YIELD - 75-100 GPMS.W.L. (AFTER CASING):**LOG ID:****014964**WELL TYPE

WATER TEST WELL (HOLE)

DRILL DATE: 1956/08/29TOWNSHIPRANGESECTIONELEVATION:

785FT

DRILL DEPTH: 200FT

59N

22W

32

DEPTH TO BED: 191FTUTM XUTM Y

467,168.84

4,414,565.02

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: 59-22-32 ddc - POSSIBLE YIELD - 25-35 GPMS.W.L. (AFTER CASING):**LOG ID:****014936**WELL TYPE

WATER TEST WELL (HOLE)

DRILL DATE: 1956/08/14TOWNSHIPRANGESECTIONELEVATION:

755FT

DRILL DEPTH: 129FT

59N

22W

8

DEPTH TO BED: 126FTUTM XUTM Y

466,004.82

4,421,022.03

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: 59-22-8 cccS.W.L. (AFTER CASING):**LOG ID:****014876**WELL TYPE

WATER TEST WELL (HOLE)

DRILL DATE: 1956/08/15TOWNSHIPRANGESECTIONELEVATION:

800FT

DRILL DEPTH: 128FT

59N

22W

9

DEPTH TO BED: 126FTUTM XUTM Y

467,631.81

4,421,051.06

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: 59-22-9 dddS.W.L. (AFTER CASING):



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**007085**WELL TYPE

Private Well

DRILL DATE: 1941/08/29TOWNSHIP RANGE SECTION

59N

23W

10

ELEVATION: 833FTDRILL DEPTH: 129FTDEPTH TO BED: 127FTUTM X UTM Y

458,805.82 4,422,167.90

ZONE 15

S.W.L. (BEFORE CASING):REMARKS:S.W.L. (AFTER CASING):**LOG ID:****017310**WELL TYPE

Community Public Well

DRILL DATE: 1958/04/09TOWNSHIP RANGE SECTION

59N

23W

15

ELEVATION: 749FTDRILL DEPTH: 73FTDEPTH TO BED: 70FTUTM X UTM Y

459,414.83 4,419,309.89

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS: "TEST WELL ??"S.W.L. (AFTER CASING): 30**LOG ID:****014937**WELL TYPE

WATER TEST WELL (HOLE)

DRILL DATE: 1956/08/13TOWNSHIP RANGE SECTION

59N

23W

17

ELEVATION: 776FTDRILL DEPTH: 135FTDEPTH TO BED: 127FTUTM X UTM Y

455,592.85 4,419,270.81

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: 59-23-17 cccS.W.L. (AFTER CASING):**LOG ID:****014939**WELL TYPE

WATER TEST WELL (HOLE)

DRILL DATE: 1956/08/14TOWNSHIP RANGE SECTION

59N

23W

20

ELEVATION: 792FTDRILL DEPTH: 165FTDEPTH TO BED: 162FTUTM X UTM Y

456,999.84 4,419,079.84

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: 59-23-20 aaaS.W.L. (AFTER CASING):

Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**014935**WELL TYPE

WATER TEST WELL (HOLE)

DRILL DATE: 1956/08/14TOWNSHIP RANGE SECTION

59N

23W

22

ELEVATION: 736FTDRILL DEPTH: 126FTUTM XUTM YDEPTH TO BED: 125FT

459,619.83

4,419,137.89

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: 59-23-22 abb - POSSIBLE YIELD - 25-50 GPMS.W.L. (AFTER CASING):**LOG ID:****014916**WELL TYPE

WATER TEST WELL (HOLE)

DRILL DATE: 1956/08/14TOWNSHIP RANGE SECTION

59N

23W

24

ELEVATION: 715FTDRILL DEPTH: 113FTUTM XUTM YDEPTH TO BED: 106FT

462,065.83

4,419,165.94

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: 59-23-24 bbb - POSSIBLE YIELD - 10-20 GPMS.W.L. (AFTER CASING):**LOG ID:****014983**WELL TYPE

WATER TEST WELL (HOLE)

DRILL DATE: 1956/08/29TOWNSHIP RANGE SECTION

59N

23W

30

ELEVATION: 746FTDRILL DEPTH: 138FTUTM XUTM YDEPTH TO BED: 132FT

453,912.88

4,417,520.75

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: 59-23-30 bbb - POSSIBLE YIELD - 10-15 GPMS.W.L. (AFTER CASING):**LOG ID:****014946**WELL TYPE

WATER TEST WELL (HOLE)

DRILL DATE: 1956/08/30TOWNSHIP RANGE SECTION

59N

23W

31

ELEVATION: 729FTDRILL DEPTH: 132FTUTM XUTM YDEPTH TO BED: 130FT

453,913.89

4,415,904.74

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: 59-23-31 bbb - POSSIBLE YIELD - 20-30 GPMS.W.L. (AFTER CASING):



Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:**014272**WELL TYPE

Private Well

DRILL DATE: 1955/10/19TOWNSHIPRANGESECTIONELEVATION:

755FT

DRILL DEPTH: 125FT

59N

23W

6

DEPTH TO BED:UTM XUTM Y

453,920.85

4,423,818.81

ZONE 15

S.W.L. (BEFORE CASING): FTREMARKS:S.W.L. (AFTER CASING): 40**LOG ID:****014875**WELL TYPE

WATER TEST WELL (HOLE)

DRILL DATE: 1956/08/10TOWNSHIPRANGESECTIONELEVATION:

727FT

DRILL DEPTH: 123FT

59N

24W

13

DEPTH TO BED: 120FTUTM XUTM Y

453,626.87

4,419,203.76

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: POSSIBLE YIELD - 50-100 GPMS.W.L. (AFTER CASING):**LOG ID:****014942**WELL TYPE

WATER TEST WELL (HOLE)

DRILL DATE: 1956/08/13TOWNSHIPRANGESECTIONELEVATION:

709FT

DRILL DEPTH: 103FT

59N

24W

14

DEPTH TO BED: 100FTUTM XUTM Y

451,991.89

4,419,183.72

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: 59-24-14 ddd - POSSIBLE YIELD - 10-20 GPMS.W.L. (AFTER CASING):**LOG ID:****014904**WELL TYPE

WATER TEST WELL (HOLE)

DRILL DATE: 1956/08/13TOWNSHIPRANGESECTIONELEVATION:

755FT

DRILL DEPTH: 129FT

59N

24W

2

DEPTH TO BED: 121FTUTM XUTM Y

450,586.88

4,423,035.73

ZONE 15

S.W.L. (BEFORE CASING):REMARKS: 59-24-2 cbb - POSSIBLE YIELD - 10-20 GPMS.W.L. (AFTER CASING):

Missouri Well Logs by County

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID:
016950

WELL TYPE
Private Well

| | | | | | | |
|--------------------------------|------------|-----------------|------------------------------------|----------------|-------------------|--------------|
| <u>DRILL DATE:</u> | 1957/11/20 | <u>TOWNSHIP</u> | <u>RANGE</u> | <u>SECTION</u> | <u>ELEVATION:</u> | 731FT |
| <u>DRILL DEPTH:</u> | 70FT | 59N | 24W | 24 | <u>UTM X</u> | <u>UTM Y</u> |
| <u>DEPTH TO BED:</u> | | | | | 453,413.88 | 4,419,030.75 |
| <u>S.W.L. (BEFORE CASING):</u> | FT | <u>REMARKS:</u> | OLD WELL TOP 20'; MAY BE ALL DRIFT | | | |
| <u>S.W.L. (AFTER CASING):</u> | 20 | | | | | |

LOG ID:
014891

WELL TYPE
WATER TEST WELL (HOLE)

| | | | | | | |
|--------------------------------|------------|-----------------|--------------|----------------|-------------------|--------------|
| <u>DRILL DATE:</u> | 1954/08/10 | <u>TOWNSHIP</u> | <u>RANGE</u> | <u>SECTION</u> | <u>ELEVATION:</u> | 732FT |
| <u>DRILL DEPTH:</u> | 40FT | 59N | 24W | 9 | <u>UTM X</u> | <u>UTM Y</u> |
| <u>DEPTH TO BED:</u> | 35FT | | | | 448,724.90 | 4,422,166.67 |
| <u>S.W.L. (BEFORE CASING):</u> | | <u>REMARKS:</u> | 59-24-9 aaa | | | |
| <u>S.W.L. (AFTER CASING):</u> | | | | | | |

LOG ID:
000248

WELL TYPE
Private Well

| | | | | | | |
|--------------------------------|-------|-----------------|--------------------------------|----------------|-------------------|--------------|
| <u>DRILL DATE:</u> | | <u>TOWNSHIP</u> | <u>RANGE</u> | <u>SECTION</u> | <u>ELEVATION:</u> | 936FT |
| <u>DRILL DEPTH:</u> | 225FT | 59N | 25W | 10 | <u>UTM X</u> | <u>UTM Y</u> |
| <u>DEPTH TO BED:</u> | 15FT | | | | 441,181.98 | 4,420,722.49 |
| <u>S.W.L. (BEFORE CASING):</u> | | <u>REMARKS:</u> | NOP WATER; NO UNITS IDENTIFIED | | | |
| <u>S.W.L. (AFTER CASING):</u> | | | DRILLER'S LOG ONLY | | | |

LOG ID:
012473

WELL TYPE
Private Well

| | | | | | | |
|--------------------------------|------------|-----------------|----------------------------------|----------------|-------------------|--------------|
| <u>DRILL DATE:</u> | 1953/10/14 | <u>TOWNSHIP</u> | <u>RANGE</u> | <u>SECTION</u> | <u>ELEVATION:</u> | 970FT |
| <u>DRILL DEPTH:</u> | 200FT | 59N | 25W | 29 | <u>UTM X</u> | <u>UTM Y</u> |
| <u>DEPTH TO BED:</u> | 45FT | | | | 437,981.08 | 4,415,815.36 |
| <u>S.W.L. (BEFORE CASING):</u> | | <u>REMARKS:</u> | 14 MI NW OF CHILLICOTHE ON HWY F | | | |
| <u>S.W.L. (AFTER CASING):</u> | | | | | | |

LIVINGSTON